



## *Pinellas Marcite Finishers, Inc.*

### Start Up Procedures for Your Swimming Pool:

- Fill pool without stopping to middle of skimmer.
  - Do not walk on pool surface until pool is filled.
  - Do not add second hose to fill pool.
  - Do not turn on pool light until water is over light fixture.
  - Do not use auto pool vacuum for one week.
  - Do not vacuum pool for one week.
- 
- ✓ Once the pool is circulating, adjust pH to 6.8 and alkalinity to 80 ppm. Add Jack's Magic Metal Solution to 20 ppm. **DO NOT ADD CHLORINE**. Circulate the pool continuously for 72 hours. Brush the pool thoroughly.
  - ✓ The pool will continue to dust for several days. pH and total alkalinity must be monitored to prevent scaling. Pool must be brushed frequently. Keep pH at 6.8, **NOT HIGHER**.
  - ✓ After the first 72 hours, test the water to bring pH up to 7.2, **NOT HIGHER**. Then release chlorine tablets. (**NO** liquid chlorine)
  - ✓ Pool chemistry must be tested daily for 1 week.
  - ✓ Pool must be brushed daily for at least 1 week.
  - ✓ Keep pH at 7.2 by adding muriatic acid for 3 weeks. (Not higher.)
  - ✓ Pool chemistry must be test at least 3 times per week, for the next 3 weeks to keep pH at 7.2 Rain and fill water change the pH.
  - ✓ Do not shock pool for 10 days.
  - ✓ Use 6 oz. Jack's Magic (Blue Stuff) every week.